




TOP ELECTRONIC INDUSTRY CO., LTD.
www.topecind.com www.top-elecomponents.com

GSM Antenna TOP-GSM06-1



DIMENSIONS



TOP ELECTRONIC INDUSTRY CO.,LTD
Rm407 27th Bldg,Nanhua Zone,Huaqiang south,Futian Dist,SZ,GD,China
Tel:+86-755-8281 5110
Fax:+86-755-8281 5220
Web: www.topecind.com




TOP ELECTRONIC INDUSTRY CO., LTD.

www.topecind.com www.top-elecomponents.com

SPECIFICATIONS

Item	Specifications	
Antenna	Frequency Range	824~894/1710~1990MHz or 880~960/1710~1990MHz
	Polarization	Linear
	Gain	2.5dBi (Zenith)
	V.S.W.R (min)	<2.5
	Impedance	50 Ω
	Connector	SMA Male
Environmental	Operating Temperature	-40°C ~+85°C
	Vibration	10 to 55Hz with 1.5mm amplitude 2hours
	Environmentally Friendly	ROHS Compliant

Radiation Pattern



TOP ELECTRONIC INDUSTRY CO.,LTD

Rm407 27th Bldg,Nanhua Zone,Huaqiang south,Futian Dist,SZ,GD,China

Tel:+86-755-8281 5110

Fax:+86-755-8281 5220


Web: www.topecind.com



TOP ELECTRONIC INDUSTRY CO., LTD.

www.topecind.com www.top-elecomponents.com

S11 Log Magnitude



TOP ELECTRONIC INDUSTRY CO.,LTD

Rm407 27th Bldg,Nanhua Zone,Huaqiang south,Futian Dist,SZ,GD,China

Tel:+86-755-8281 5110

Fax:+86-755-8281 5220

Web: www.topecind.com